

RC 40 Hydraulic Driven Reciprocating

Ideal choice for mechanic and service trucks

For applications where truck-bed space is at a premium, yet your application demands powerful performance time after time, rely on Vanair's RC 40 cfm hydraulic-powered reciprocating compressor to get the job done.

Compressor Dimensions with fittings (in.) –

37.0 L x 21.0 W x 22.0 H*

Dry Weight (lbs.) – 408 lbs.



Specifications

CFM Rating	30				40			
Air Pressure, PSI	100	125	150	175	100	125	150	175
Hydraulic Flow, GPM	9.5				12			
Hydraulic Pressure, PSIG	1775	1875	2100	2200	1950	2070	2175	2275

Ratings above are approximate and are based on 120°F hydraulic fluid temperature. Consult Vanair for Specific details. Product improvement is a continuing goal. Design and specifications are subject to change without notice or obligations.

SPECIAL FEATURES

Air Compressor

- Reciprocating type
- Integral hydraulic oil cooler
- Available with open or closed hydraulic manifold block
- V-Belts driven by hydraulic motor
- Added features:
 - Powder-coated, galvanized sheet metal enclosure
 - Designed with (3) v-belts for maximum productivity
 - Rugged, cast-iron crankcase
 - Corrosion-resistant steel valves
 - Tapered roller-type main bearings
 - Balanced crankshaft
 - Weight-matched balanced pistons
 - High-flow valves
 - Lightweight connecting rods
 - Integrated hydraulic cooler
 - Open and closed center
- Supply connections:
 - Hydraulic oil in – 3/4" 37° JIC
 - Hydraulic oil out – 1" 37° JIC
 - Case drain – 1/4" 37° JIC
- Electrical 12-volt DC or 24 volt
- Vibration isolation for air compressor and drive system for quiet operation

Air Compressor Control System

- Integral on-off manifold with solenoid diverter valve and hydraulic pressure relief valves

Safety Equipment

- Air pressure-relief safety valve
- Hydraulic oil pressure-relief valve

Options/Accessories

- Filter/lubricator/regulator (FLR)
- Air hoses, hose reels, and fittings
- 20, 30, or 60 gallon air reservoirs

HYDRAULIC SYSTEM RECOMMENDATIONS

Vanair highly recommends consulting a hydraulic supply expert for specifying the correct hydraulic pump size and type, oil reservoir size, hydraulic oil cooler, hydraulic pressure relief, and other hydraulic supply components for your application. Please take into consideration the following:

- The hydraulic flow and pressure requirements of the air compressor
- Keep in mind that when the compressor is running there is a continuous hydraulic load
- The duty cycle and ambient operating temperatures
- Other hydraulic equipment which may share the same hydraulic supply system (Vanair recommends a dedicated pump and hydraulic circuit)

*Allow for adequate ventilation